

PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_

QUANTITY: \_\_\_\_\_



## PN: 350DICL

<b>APPLICATION</b>	<ul style="list-style-type: none"> <li>• PENDANT MOUNT</li> <li>• INDOOR RATED</li> </ul>
<b>DIMENSION</b>	<ul style="list-style-type: none"> <li>• 24"(61CM)</li> </ul>
<b>ILLUMINATION</b>	<ul style="list-style-type: none"> <li>• DIRECT</li> <li>• LED 90CRI</li> <li>• 2,025 - 2,653 LUMENS</li> </ul>
<b>ELECTRICAL</b>	<ul style="list-style-type: none"> <li>• 120 - 277V (347V CONSULT FACTORY)</li> <li>• 10kA SURGE SUPPRESSION STANDARD</li> </ul>
<b>DIFFUSERS</b>	<ul style="list-style-type: none"> <li>• HIGH EFFICIENCY ACRYLIC</li> </ul>
<b>CONSTRUCTION</b>	<ul style="list-style-type: none"> <li>• ALUMINUM</li> </ul>
<b>FINISHES</b>	<ul style="list-style-type: none"> <li>• AVAILABLE IN SEVERAL TMS POWDER COATED FINISHES</li> <li>• CUSTOM RAL FINISHES AVAILABLE</li> </ul>
<b>DIMMING</b>	<ul style="list-style-type: none"> <li>• 0 - 10V STANDARD DIMMING (1%)</li> <li>• LUTRON (1%) DIMMING OPTIONAL</li> </ul>
<b>WEIGHT</b>	<ul style="list-style-type: none"> <li>• 11.5 LBS MAXIMUM</li> </ul>



# DISCO™ CEILING



PROJECT: \_\_\_\_\_

TYPE: \_\_\_\_\_



QUANTITY: \_\_\_\_\_

## 350DICL


1 2 3 4 5 6 7 8

<b>1.</b>	<b>24</b>									
DIA	24" DIA. (61CM)									
<b>2.</b>	<b>20LED</b>					<b>30LED</b>				
ILLUMIN	20W LED					30W LED				
<b>3.</b>	<b>30K</b>			<b>35K</b>			<b>40K</b>			
LED CCT	3000K			3500K			4000K			
<b>4.</b>	<b>120</b>			<b>227</b>			<b>UNI</b>			
VOLT	120V			227V			120 - 277V			
<b>5.</b>	<b>F04</b>	<b>F05</b>	<b>F15</b>	<b>F16</b>	<b>F09</b>	<b>F31</b>	<b>F18</b>	<b>F06</b>	<b>F07</b>	<b>F08</b>
FINISH	MATTE WHITE	GLOSS WHITE	MATTE BLACK	GLOSS BLACK	PEWTER	SILVER METALLIC	SATIN ALUMINUM	CLAY BROWN	ZEUS BROWN	MIDNIGHT BLUE
	<b>F10</b>	<b>F11</b>	<b>F13</b>	<b>F14</b>	<b>F21</b>	<b>F22</b>	<b>F24</b>	<b>F25</b>	<b>F26</b>	<b>F28</b>
	FIRE RED	CITRUS ORANGE	FOREST GREEN	SUNSHINE YELLOW	ARCH. BRONZE	HARVEST GOLD	MELTED PLATINUM	MELTED GOLD	MELTED COPPER	DARK CAMPAGNE
	<b>F32</b>	<b>F33</b>	<b>F38</b>	<b>F39</b>	<b>F40</b>	<b>F41</b>	<b>F42</b>	<b>F43</b>	<b>F44</b>	<b>F45</b>
BRONZE METALLIC	PYRITE BRONZE	MEADOW GREEN	AQUA BLUE	BUBBLE PINK	ELECTRIC PURPLE	FAUX CHROME	FAUX GOLD	FAUX COPPER	COPPER METALLIC	
<b>6.</b>	<b>00</b>	<b>F04</b>	<b>F05</b>	<b>F15</b>	<b>F16</b>	<b>F18</b>	<b>F10</b>	<b>F11</b>	<b>F14</b>	<b>F38</b>
ACCENT FINISH	SAME AS OUTSIDE	MATTE WHITE	GLOSS WHITE	MATTE BLACK	GLOSS BLACK	SATIN ALUMINUM	FIRE RED	CITRUS ORANGE	SUNSHINE YELLOW	MEADOW GREEN
	<b>F39</b>	<b>F40</b>	<b>F41</b>	<b>F42</b>	<b>F43</b>	<b>F44</b>	<b>RAL</b>			
	AQUA BLUE	BUBBLE PINK	ELECTRIC PURPLE	FAUX CHROME	FAUX GOLD	FAUX COPPER	CUSTOM (SPECIFY RAL)			
<b>7.</b>	<b>DIML</b>					<b>DIME</b>				
DIMMING	LED DIMMING (0 - 10V, CURRENT-SINKING)					LUTRON HI - LUMEN 1%				
<b>8.</b>	---					<b>EMR</b>				
EMERG	NONE					REMOTE				

1. 127V - 277V AVAILABLE



**SIDE & BOTTOM VIEW**



**ISO VIEW**


## DIRECT

PN	ILLUMINATION	LUMENS	WATTAGE
350DICL	20LED	2025	20
	30LED	2657	30

### IES INDOOR REPORT

PHOTOMETRIC FILENAME : 350DICL 24 20LED 35K F05

### POLAR GRAPH




MAXIMUM CANDELA = 657.59 LOCATED AT HORIZONTAL ANGLE = 0, VERTICAL ANGLE = 5  
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (0 - 180) (THROUGH MAX. CD.)  
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (5) (THROUGH MAX. CD.)

**LUMINAIRE LUMENS** 2025  
**TOTAL LUMINAIRE EFFICIENCY** 79%  
**LUMINAIRE EFFICACY RATING** 97  
**TOTAL LUMINAIRE WATTS** 21

### IES INDOOR REPORT

PHOTOMETRIC FILENAME : 350DICL 24 30LED 35K F05

### POLAR GRAPH



MAXIMUM CANDELA = 858.49 LOCATED AT HORIZONTAL ANGLE = 180, VERTICAL ANGLE = 5  
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (180 - 0) (THROUGH MAX. CD.)  
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (5) (THROUGH MAX. CD.)

**LUMINAIRE LUMENS** 2657  
**TOTAL LUMINAIRE EFFICIENCY** 80%  
**LUMINAIRE EFFICACY RATING** 87  
**TOTAL LUMINAIRE WATTS** 31

## FINISHES



## PREMIUM FINISHES



1: FINISHES IS APPLIED TO THE INTERIOR AND EXTERIOR OF THE FIXTURE.

2: MATERIALS ARE CONSISTENT (INTERIOR & EXTERIOR). STEMS AND CANOPIES WILL BE F16 GLOSS BLACK.

NOTE: ALL FINISHES NOT MARKED WITH NOTATION (1) ARE APPLIED TO THE EXTERIOR ONLY. THE INTERIOR WILL BE F05 GLOSS WHITE.

MATTE FINISHES AVAILABLE. CONSULT FACTORY.

FINISHES ARE SUBJECT TO AVAILABILITY AND MAY NOT BE APPLICABLE TO ALL FIXTURES OR FOR QUICKSHIP.

DISPLAYED FINISHES DIFFER BETWEEN SCREENS AS WELL AS PRINTERS AND MAY NOT ACCURATELY DEPICT COLOR.