

LUNA BRIO CEILING

PROJECT: _____

TYPE: _____


QUANTITY: _____




PN: 941LUSSCL

ILLUMINATION	• 3126 - 8624 LUMENS • DIRECT • LED 90CRI
APPLICATION	• CEILING MOUNT • INDOOR RATED
DIMENSION	• 36", 48", 60", 72", 84" SIZES • 92cm, 122cm, 153cm, 183cm, and 214cm • PROFILE: 1"W X 2.625"H (2.5cm X 6.6cm)
ELECTRICAL	• 120 - 277V • 10KV SURGE SUPPRESSION
DIFFUSERS	• HIGH EFFICIENCY ACRYLIC
MOUNTING	• CANOPY OR REMOTE MOUNT
CONSTRUCTION	• ALUMINUM
FINISHES	• AVAILABLE IN SEVERAL TMS POWDER COATED FINISHES • CUSTOM RAL FINISHES AVAILABLE
DIMMING	• 0 - 10V DIMMING (120-277V) • LINE VOLTAGE/TRIAC/ELV (120V ONLY) • LUTRON DIMMING (120-277V)
WEIGHT	• 20 LBS MINIMUM, 45 LBS MAXIMUM

FLAT DIFFUSER



DOM DIFFUSER



TMSLIGHTING

INDOOR





LUNA BRIO CEILING

PROJECT: _____

TYPE: _____


QUANTITY: _____

941LUSSCL - 1 - 2 - 3 - 4 - 5 - 6 - 7

1.	3D	4D	5D	6D	7D	CUS			
SIZE	36"	48"	60"	72"	84"	CUSTOM SIZE (SPECIFY)			
LED (W)	34	48	63	78	93				
LUMENS	3126	4499	5877	7248	8624				
2.	H		M		L		C ____ ¹		
OUTPUT	100% LUMEN OUTPUT		75% LUMEN OUTPUT		50% LUMEN OUTPUT		[CUSTOM] % LUMEN OUTPUT		
3.	30K		35K			40K			
CCT	3000		3500			4000			
4.	CD				RM				
DRIVER	CANOPY MOUNT				REMOTE MOUNT				
5.	FLAT				DOM				
DIFFUSER	FLAT DIFFUSER				DOME DIFFUSER				
6.	ADDITIONAL AND PREMIUM FINISHES AVAILABLE. SEE FINISHES CHART		F04	F05	F15	F16	F09	F31	F18
FINISH			MATTE WHITE	GLOSS WHITE	MATTE BLACK	GLOSS BLACK	PEWTER	SILVER METALLIC	SATIN ALUMINUM
7.	DIML		DIME			DIMV			
DIMMING	0-10V (120-277V)		LUTRON HI-LUME (120-277V) (UP TO 60" ONLY)			LINE VOLTAGE/TRIAC/ELV (120V ONLY)			

NOTE: SOME OPTIONS MAY NOT BE COMPATIBLE WITH OTHERS. **ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.** CONTACT TMS LIGHTING FOR UPDATED SPECIFICATIONS.


LUNA BRIO CEILING




SIZE	ACTUAL SIZE	MOUNTING POINTS	CANOPY SIZE	NUMBER OF CANOPY	WEIGHT (POUNDS - LBS)	SECTIONS
36	35"	4	10"	1	20	1
48	47"	4	10"	1	25	1
60	58.5"	4	12"	1	31	1
72	70.5"	4	15"	1	37	2
84	82.5"	8	15"	1	45	2

MOUNTING

CANOPY MOUNT DRIVER



REMOTE MOUNT DRIVER




LUNA BRIO CEILING

PN (INCH)	LUMENS	WATTAGE
3D (36")	3126	34
4D (48")	4499	48
5D (60")	5877	63
6D (72")	7248	78
7D (84")	8624	93

IES INDOOR REPORT PHOTOMETRIC FILENAME : 971LUSCL 3D 35K F05.IES

POLAR GRAPH



MAXIMUM CANDELA = 3893.9 LOCATED AT HORIZONTAL ANGLE = 90, VERTICAL ANGLE = 5
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (90 - 270) (THROUGH MAX. CD.)
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (5) (THROUGH MAX. CD.)

LUMINAIRE LUMENS

TOTAL LUMINAIRE EFFICIENCY

LUMINAIRE EFFECIENCY RATING

TOTAL LUMINAIRE WATTS

3126


60%

93

34

IES INDOOR REPORT PHOTOMETRIC FILENAME : 971LUSCL 7D 35K F05.IES

POLAR GRAPH



MAXIMUM CANDELA = 3889.18 LOCATED AT HORIZONTAL ANGLE = 67.5, VERTICAL ANGLE = 5
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (67.5 - 247.5) (THROUGH MAX. CD.)
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (5) (THROUGH MAX. CD.)

LUMINAIRE LUMENS

TOTAL LUMINAIRE EFFICIENCY

LUMINAIRE EFFECIENCY RATING

TOTAL LUMINAIRE WATTS

8624

60%

93

93

LUNA BRIO CEILING

FINISHES



F04
MATTE
WHITE



F05
GLOSS
WHITE



F15
MATTE
BLACK



F16
GLOSS
BLACK



F09
PEWTER



F31
SILVER
METALLIC



F18
SATIN
ALUMINUM



F21
ARCH
BRONZE

PREMIUM FINISHES



RAL
CUSTOM
(RAL #)



F40
BUBBLE
PINK



F10
FIRE
RED



F41
ELECTRIC
PURPLE



F08
MIDNIGHT
BLUE



F39
AQUA
BLUE



F13
FOREST
GREEN



F38
MEADOW
GREEN



F45
COPPER
METALLIC



F06
CLAY
BROWN



F11
CITRUS
ORANGE



F28
DARK
CHAMPAGNE



F22
HARVEST
GOLD



F14
SUNSHINE
YELLOW



F33
PYRITE
BRONZE



F07
ZEUS
BROWN



F32
BRONZE
METALLIC



F26
MELTED
COPPER



F25
MELTED
GOLD



F24
MELTED
PLATINUM



F44
FAUX
COPPER



F43
FAUX
GOLD



F42
FAUX
CHROME

Displayed finishes differ between screens as well as printers and may not accurately depict color.