



LUNA CURVA™ LINEAR

PROJECT: _____

TYPE: _____

QUANTITY: _____




PN: 971LUCU



APPLICATION	• DIRECT OR DIRECT/INDIRECT PENDANT MOUNT • INDOOR RATED
DIMENSION	• 2 STANDARD SIZES AND CUSTOM CONFIGURATIONS • PROFILE: 1"W X 2.625"H (2.5CM X 6.7CM)
ILLUMINATION	• DIRECT OR INDIRECT/DIRECT • LED 90CRI • 11333 - 31192 LUMENS (CUSTOM SEE PG 4 - 8)
ELECTRICAL	• 120 - 277V • 6KV SURGE SUPPRESSION STANDARD
DIFFUSERS	• HIGH EFFICIENCY, FLEXIBLE PMMA ACRYLIC¹
MOUNTING	• 96" (244CM) BLACK OR WHITE DROP CORD WITH AC CABLES
CONSTRUCTION	• ALUMINUM
FINISHES	• AVAILABLE IN SEVERAL TMS POWDER COATED FINISHES • CUSTOM RAL FINISHES AVAILABLE
DIMMING	• 0 - 10V STANDARD DIMMING • LUTRON DIMMING OPTIONAL
WEIGHT	• 28 - 41 LBS (CUSTOM SEE PG 4 - 8)

1. POLY(METHYL METHACRYLATE) (PMMA) IS A TRANSPARENT THERMOPLASTIC, USED AS AN ENGINEERING PLASTIC AND IS ALSO KNOWN AS ACRYLIC. IT HAS HIGH RESISTANCE TO UV LIGHT AND WEATHERING AND HAS EXCELLENT LIGHT TRANSMISSION.

FLAT DIFFUSER




DOM DIFFUSER



TMSLIGHTING

LUNA CURVA™ LINEAR



PROJECT: _____

TYPE: _____

QUANTITY: _____

971LUCU

1 2 3 4 5 6 7 8 9 10

1.	DIRECT							
SIZE	4D		6D		CUS			
DMS.	Ø48" - 133"L x 47"W		Ø72 - 185"L x 73"W		CUSTOM (SPECIFY)			
LED (W)	123		234					
LUMEN	11333		21533					
	INDIRECT/DIRECT							
SIZE	4ID		6ID		CUS			
DMS.	Ø48" - 133"L x 47"W		Ø72 - 185"L x 73"W		CUSTOM (SPECIFY)			
LED (W)	178		339					
LUMEN	16417		31192					
2.	H	M		L		C: _____¹		
OUTPUT	100% LUMENS	75% LUMENS		50% LUMENS		[CUSTOM]% LUMENS		
3.	30K		35K		40K			
CCT	3000		3500		4000			
4.	120		277		UNI			
VOLTAGE	120V		277V		120 - 277V			
5.	S			D				
CIRCUITS	SINGLE			DUAL				
6.	CD			RM				
DRIVER	CANOPY MOUNT			REMOTE MOUNT				
7.	BC			WC				
CORD	BLACK DROP CORD			WHITE DROP CORD				
8.	FLAT			DOM				
DIFFUSER	FLAT DIFFUSER			DOME DIFFUSER				
9.	ADDITIONAL AND PREMIUM FINISHES AVAILABLE. SEE FINISHES CHART	F04	F05	F15	F16	F09	F31	F18
FINISH		MATTE WHITE	GLOSS WHITE	MATTE BLACK	GLOSS BLACK	PEWTER	SILVER METALLIC	SATIN ALUMINUM
10.	DIML							
DIMMING	STANDARD 0 - 10V							

1. CUSTOM PERCENTAGE I.E. 60%. CONSULT AGENT

2. DIAMETERS LARGER THAN 6FT (1828MM) ARE INCOMPATIBLE WITH LUTRON DIMMING.


NOTE: SOME OPTIONS MAY NOT BE COMPATIBLE WITH OTHERS. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. CONTACT TMS LIGHTING FOR UPDATED SPECIFICATIONS.

TMSLIGHTING




LUNA CURVA™ LINEAR

LUNA CURVA STANDARD OPTIONS:



- LUMENS D/ID: 11333 / 16417
- WATTAGE D/ID: 123 / 234
- WEIGHT: 28 LBS

48




- LUMENS D/ID: 16417 / 31192
- WATTAGE D/ID: 178 / 339
- WEIGHT: 48 LBS

72


LUNA CURVA™ LINEAR

CURVE SECTION (R):




- LUMENS D/ID: 1208 / 2296
- WATTAGE D/ID: 13 / 25
- WEIGHT: 3 LBS

R18




- LUMENS D/ID: 2083 / 3958
- WATTAGE D/ID: 23 / 43
- WEIGHT: 5 LBS

R30




- LUMENS D/ID: 2375 / 4513
- WATTAGE D/ID: 26 / 49
- WEIGHT: 6 LBS

R36




- LUMENS D/ID: 2083 / 3958
- WATTAGE D/ID: 23 / 43
- WEIGHT: 5 LBS

R42




- LUMENS D/ID: 3083 / 5858
- WATTAGE D/ID: 34 / 64
- WEIGHT: 8 LBS

R48




- LUMENS D/ID: 3542 / 6729
- WATTAGE D/ID: 38 / 73
- WEIGHT: 9 LBS

R54



- LUMENS D/ID: 3833 / 7283
- WATTAGE D/ID: 42 / 79
- WEIGHT: 10 LBS

R60



- LUMENS D/ID: 4750 / 9025
- WATTAGE D/ID: 52 / 98
- WEIGHT: 10 LBS


R72



- LUMENS D/ID: 4333 / 8233
- WATTAGE D/ID: 47 / 89
- WEIGHT: 10 LBS


R98

CURVED CROSS CONFIGURATION (CC):



- LUMENS D/ID: 7833 / 14883
- WATTAGE D/ID: 85 / 162
- WEIGHT: 20 LBS

48CC




- LUMENS D/ID: 11000 / 20900
- WATTAGE D/ID: 120 / 227
- WEIGHT: 28 LBS

72CC


LUNA CURVA™ LINEAR

PLUS CONFIGURATION (P):




- LUMENS D/ID: 1042 / 1979
- WATTAGE D/ID: 11 / 22
- WEIGHT: 3 LBS

12P




- LUMENS D/ID: 2042 / 3879
- WATTAGE D/ID: 22 / 42
- WEIGHT: 5 LBS

24P



- LUMENS D/ID: 3042 / 5779
- WATTAGE D/ID: 33 / 63
- WEIGHT: 8 LBS


36P



- LUMENS D/ID: 3958 / 7521
- WATTAGE D/ID: 33 / 63
- WEIGHT: 10 LBS


48P

SHARP CORNERS (L):




- LUMENS D/ID: 1042 / 1979
- WATTAGE D/ID: 22 / 42
- WEIGHT: 3 LBS

12L




- LUMENS D/ID: 2042 / 3879
- WATTAGE D/ID: 22 / 42
- WEIGHT: 5 LBS

24L



- LUMENS D/ID: 3042 / 5779
- WATTAGE D/ID: 33 / 63
- WEIGHT: 8 LBS

36L




- LUMENS D/ID: 4000 / 7600
- WATTAGE D/ID: 43 / 83
- WEIGHT: 10 LBS

48L


LUNA CURVA™ LINEAR

SOFT CORNER CONFIGURATION (SL):




- LUMENS D/ID: 1750 / 3325
- WATTAGE D/ID: 19 / 36
- WEIGHT: 4 LBS

24SL1




- LUMENS D/ID: 2208 / 4196
- WATTAGE D/ID: 24 / 46
- WEIGHT: 6 LBS

30SL2




- LUMENS D/ID: 2750 / 5225
- WATTAGE D/ID: 30 / 57
- WEIGHT: 7 LBS

36SL1




- LUMENS D/ID: 2708 / 5146
- WATTAGE D/ID: 29 / 56
- WEIGHT: 7 LBS

36SL2



- LUMENS D/ID: 3750 / 7125
- WATTAGE D/ID: 41 / 77
- WEIGHT: 9 LBS

48SL1



- LUMENS D/ID: 3667 / 6967
- WATTAGE D/ID: 40 / 76
- WEIGHT: 9 LBS

48SL2

CUSTOM - SECTIONS OVERVIEW

CURVE:

PN	WEIGHT	LUMENS (D/ID)	WATTAGE (D/ID)
R18	3 LBS	1208 / 2296	13 / 25
R30	5 LBS	2083 / 3958	23 / 43
R36	6 LBS	2375 / 4513	26 / 49
R42	7 LBS	2792 / 5304	30 / 58
R48	8 LBS	3083 / 5858	34 / 64
R54	9 LBS	3542 / 6729	38 / 73
R60	10 LBS	3833 / 7283	42 / 79
R72	11 LBS	4333 / 8233	47 / 89
R98	12 LBS	4750 / 9025	52 / 98

PLUS:

PN	WEIGHT	LUMENS (D/ID)	WATTAGE (D/ID)
12P	3 LBS	1042 / 1979	11 / 22
24P	5 LBS	2042 / 3879	22 / 42
36P	8 LBS	3042 / 5779	33 / 63
48P	10 LBS	3958 / 7521	43 / 82

CURVED CROSS:

PN	WEIGHT	LUMENS (D/ID)	WATTAGE (D/ID)
48CC	28 LBS	7833 / 21533	123 / 234
72CC	41 LBS	11000 / 31192	178 / 339

SHARP CORNER:


PN	WEIGHT	LUMENS (D/ID)	WATTAGE (D/ID)
12L	3 LBS	1042 / 1979	11 / 22
24L	5 LBS	2042 / 3879	22 / 42
36L	8 LBS	3042 / 5779	33 / 63
48L	10 LBS	4000 / 7600	43 / 83

SOFT CORNER:

PN	WEIGHT	LUMENS (D/ID)	WATTAGE (D/ID)
24SL1	4 LBS	1750 / 3325	19 / 36
36SL1	7 LBS	2750 / 5225	30 / 57
48SL1	9 LBS	3750 / 7125	41 / 77
30SL2	6 LBS	2208 / 4196	24 / 46
36SL2	7 LBS	2708 / 5146	29 / 56
48SL2	9 LBS	3667 / 6967	40 / 76

CUSTOM CONFIGURATION DRAWING IS REQUIRED IF CHOSE CUSTOM, EXAMPLE SKETCH DESIGNS BELOW.

STEPS	EXAMPLE				
CONFIGURE YOUR SECTION PATTERN					
CHOOSE INDICATED DESIRED LENGTHS OF EACH PARTS:	CC	R	P	L	SL
	48 72	18 30 36 42 48 54 60 72 98	12 24 36 48	12 24 36 48	SL1:24 36 48 SL2:24 36 48




PARTS LENGTH:

- A.1 **CC - 72**
- A.2 **CC - 48**
- A.3 **SL1 - 24**
- A.4 **R - 30**
- A.5

NOTE: MAX LENGTH IS 4FT. CONTACT TMS LIGHTING FOR LENGTH LONGER THAN 4FT.

SKETCH YOUR DESIGN BELOW.



PARTS LENGTH:

- | | | |
|----|-----|-----|
| 1. | 6. | 11. |
| 2. | 7. | 12. |
| 3. | 8. | 13. |
| 4. | 9. | 14. |
| 5. | 10. | 15. |

NOTE: REFER TO PAGES 4,5,6, AND 7 FOR SIZES, LUMENS, WATTAGES, AND WEIGHTS

LUNA CURVA™ LINEAR

FINISHES



F04
MATTE
WHITE



F05
GLOSS
WHITE



F15
MATTE
BLACK



F16
GLOSS
BLACK



F09
PEWTER



F31
SILVER
METALLIC



F18
SATIN
ALUMINUM



F21
ARCH
BRONZE

PREMIUM FINISHES



RAL
CUSTOM
(RAL #)



F40
BUBBLE
PINK



F10
FIRE
RED



F41
ELECTRIC
PURPLE



F08
MIDNIGHT
BLUE



F39
AQUA
BLUE



F13
FOREST
GREEN



F38
MEADOW
GREEN



F45
COPPER
METALLIC



F06
CLAY
BROWN



F11
CITRUS
ORANGE



F28
DARK
CHAMPAGNE



F22
HARVEST
GOLD



F14
SUNSHINE
YELLOW



F33
PYRITE
BRONZE



F07
ZEUS
BROWN




F32
BRONZE
METALLIC



F26
MELTED
COPPER



F25
MELTED
GOLD



F24
MELTED
PLATINUM



F44
FAUX
COPPER



F43
FAUX
GOLD



F42
FAUX
CHROME

NOTE: DISPLAYED FINISHES DIFFER BETWEEN SCREENS AS WELL AS PRINTERS AND MAY NOT ACCURATELY DEPICT COLOR.