


LUNA QUDO™ CEILING

PROJECT: _____

TYPE: _____

QUANTITY: _____



PN: 941LUQCL

ILLUMINATION

- 2,843 - 10,743
- DIRECT
- LED 90CRI

APPLICATION

- CEILING
- INDOOR RATED

DIMENSION

- 24", 36", 48", 60", 72", 84" SIZES
- (61cm, 92cm, 122cm, 153cm, 183cm, and 213cm)
- PROFILE: 1"W X 2.625"H (2.54cm X 6.6675cm)

ELECTRICAL

- 120 - 277V
- 10KV SURGE SUPPRESSION

DIFFUSERS

- HIGH EFFICIENCY ACRYLIC

MOUNTING

- CANOPY OR REMOTE MOUNTED DRIVERS

CONSTRUCTION

- ALUMINUM

FINISHES

- AVAILABLE IN SEVERAL TMS POWDER COATED FINISHES
- CUSTOM RAL FINISHES AVAILABLE


DIMMING

- 0 - 10V (1%) DIMMING (120-277V)
- LINE VOLTAGE/TRIAC/ELV (120V ONLY)
- LUTRON HI-LUME (1%) DIMMING (120-277V)

WEIGHT


- 15 LBS MINIMUM, 45 LBS MAXIMUM

FLAT DIFFUSER



DIRECT ONLY

DOM DIFFUSER



DIRECT ONLY



DIRECT

TMSLIGHTING





LUNA QUDO™ CEILING

PROJECT: _____

TYPE: _____


QUANTITY: _____

941LUQCL - - - - - 1 - - - - - 2 - - - - - 3 - - - - - 4 - - - - - 5 - - - - - 6 - - - - - 7 - - - - -


1.	2D	3D	4D	5D	6D	7D		
SIZE (L X W)	25" (64CM)	37" (94CM)	48" (122CM)	60" (152CM)	72" (183CM)	84" (213CM)		
LED (W)	32W	48W	65W	80W	96W	118W		
LUMENS	2843	4263	5683	7096	8229	10743		
2.	H	M	L	C: _____ ¹				
OUTPUT	100% LUMENS	75% LUMENS	50% LUMENS	[CUSTOM]% LUMENS				
3.	30K	35K	40K					
LED CCT	3000	3500	4000					
4.	CD	RM						
MOUNTING	CANOPY MOUNT	REMOTE MOUNT						
5.	FLAT	DOM						
DIFFUSER	FLAT DIFFUSER	DOME DIFFUSER						
6.	ADDITIONAL AND PREMIUM FINISHES AVAILABLE. SEE FINISHES CHART	F04	F05	F15	F16	F09	F31	F18
FINISH		MATTE WHITE	GLOSS WHITE	MATTE BLACK	GLOSS BLACK	PEWTER	SILVER METALLIC	SATIN ALUMINUM
7.	DIML	DIME	DIMV					
DIMMING	0-10V (1%) (120-277V)	LUTRON HI-LUME (1%) (120-277V) (UP TO 48" ONLY)	LINE VOLTAGE/TRIAC/ELV (120V ONLY)					

NOTE: SOME OPTIONS MAY NOT BE COMPATIBLE WITH OTHERS. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. CONTACT TMS LIGHTING FOR UPDATED SPECIFICATIONS.


LUNA QUDO™ PENDANT




2D




3D




4D



5D



6D




7D


SIZE	ACTUAL SIZE	MOUNTING POINTS	CANOPY SIZE	NUMBER OF CANOPY	WEIGHT (POUNDS - LBS)	SECTIONS
25	24.5"	4	10"	1(D)	15	1
37	36.5"	4	10"	1(D)	20	1
48	48.5"	4	10"	1(D)	28	1
60	60.3"	4	10"	1(D)	34	1
72	72.3"	4	12"	1(D)	39	1
84	84"	4	12"	1(D)	45	1

MOUNTING

CANOPY MOUNT DRIVER



REMOTE MOUNT DRIVER




DIRECT

PN	SIZE (LENGHT)	LUMENS	WATTAGE
941LUQCL	2D	2843	32
	3D	4263	48
	4D	5683	65
	5D	7096	80
	6D	8229	96
	7D	10743	118

IES INDOOR REPORT

PHOTOMETRIC FILENAME : 941LUQCL 2D 35K F05.IES

POLAR GRAPH



MAXIMUM CANDELA = 1127.86 LOCATED AT HORIZONTAL ANGLE = 0, VERTICAL ANGLE = 0
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (0 - 180) (THROUGH MAX. CD.)
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (0) (THROUGH MAX. CD.)

LUMINAIRE LUMENS

2843

TOTAL LUMINAIRE EFFICIENCY

55%

LUMINAIRE EFFICACY RATING

89


TOTAL LUMINAIRE WATTS

32

IES INDOOR REPORT

PHOTOMETRIC FILENAME : 941LUQCL 6D 35K F05.IES

POLAR GRAPH



MAXIMUM CANDELA = 3035.9 LOCATED AT HORIZONTAL ANGLE = 0, VERTICAL ANGLE = 0
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (0 - 180) (THROUGH MAX. CD.)
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (0) (THROUGH MAX. CD.)

LUMINAIRE LUMENS

8229

TOTAL LUMINAIRE EFFICIENCY

53%

LUMINAIRE EFFICACY RATING

86

TOTAL LUMINAIRE WATTS

96

LUNA QUDO™ CEILING

FINISHES



F04
MATTE
WHITE



F05
GLOSS
WHITE



F15
MATTE
BLACK



F16
GLOSS
BLACK



F09
PEWTER



F31
SILVER
METALLIC



F18
SATIN
ALUMINUM



F21
ARCH
BRONZE

PREMIUM FINISHES



RAL
CUSTOM
(RAL #)



F40
BUBBLE
PINK



F10
FIRE
RED



F41
ELECTRIC
PURPLE



F08
MIDNIGHT
BLUE



F39
AQUA
BLUE



F13
FOREST
GREEN



F38
MEADOW
GREEN



F45
COPPER
METALLIC



F06
CLAY
BROWN



F11
CITRUS
ORANGE



F28
DARK
CHAMPAGNE



F22
HARVEST
GOLD



F14
SUNSHINE
YELLOW



F33
PYRITE
BRONZE



F07
ZEUS
BROWN




F32
BRONZE
METALLIC




F26
MELTED
COPPER



F25
MELTED
GOLD



F24
MELTED
PLATINUM



F44
FAUX
COPPER



F43
FAUX
GOLD



F42
FAUX
CHROME

NOTE: DISPLAYED FINISHES DIFFER BETWEEN SCREENS AS WELL AS PRINTERS AND MAY NOT ACCURATELY DEPICT COLOR.

TMSLIGHTING