

LUNA ZEST™ PENDANT

PROJECT: _____


TYPE: _____

QUANTITY: _____



PN: 941LURSP

APPLICATION	<ul style="list-style-type: none">• DIRECT OR INDIRECT/DIRECT PENDANTS• INDOOR RATED
DIMENSION	<ul style="list-style-type: none">• AVAILABLE IN 60"- 96" LENGTHS AND 36"- 60" WIDTHS• CUSTOM SIZES AVAILABLE
ILLUMINATION	<ul style="list-style-type: none">• LED 90CRI• 4483 - 15326 LUMENS
ELECTRICAL	<ul style="list-style-type: none">• 120 - 277V• 6KV SURGE SUPPRESSION STANDARD
DIFFUSERS	<ul style="list-style-type: none">• HIGH EFFICIENCY ACRYLIC
MOUNTING	<ul style="list-style-type: none">• 96" BLACK OR WHITE DROP CORD WITH AIRCRAFT CABLE
CONSTRUCTION	<ul style="list-style-type: none">• ALUMINIUM
FINISHES	<ul style="list-style-type: none">• AVAILABLE IN SEVERAL TMS POLYESTER POWDER COATED FINISHES• CUSTOM RAL FINISHES AVAILABLE
DIMMING	<ul style="list-style-type: none">• 0-10V STANDARD
WEIGHT	<ul style="list-style-type: none">• 43 LBS MAXIMUM



LUNA ZEST™ PENDANT



PROJECT: _____
 TYPE: _____
 QUANTITY: _____

941LURSP -

1 2 3 4 5 6 7 8

1.	DIRECT							
PN	5L3WD	6L3WD	7L3WD	7L4WD	8L3WD	8L4WD	8L5WD	CUS
LxW (Inch)	60x36	72x36	84x36	84x48	96x36	96x48	96x60	CUSTOM SIZE (SPECIFY LXW)
LED (W)	48	55	63	70	70	77	85	
LUMENS	4483	5167	5859	6547	6547	7240	7930	

DIRECT/INDIRECT								
PN	5L3WID	6L3WID	7L3WID	7L4WID	8L3WID	8L4WID	8L5WID	CUS
LxW (Inch)	60x36	72x36	84x36	84x48	96x36	96x48	96x60	CUSTOM SIZE (SPECIFY LXW)
LED (W)	96	111	125	140	140	155	170	
LUMENS	8480	9862	11240	12581	12581	14000	15326	

2.	H	M	L	C: _____ ²
OUTPUT	100% LUMENS	75% LUMENS	50% LUMENS	[CUSTOM]% LUMENS

3.	30K	35K	40K
CCT	3000	3500	4000

4.	120	277	UNI
VOLTAGE	120V	277V	120V - 277V

5.	S	D
CIRCUIT	SINGLE	DUAL


6.	BC	WC
CORD	BLACK DROP CORD	WHITE DROP CORD

7.	F04	F05	F09	F15	F16	F18	F21	F31	F33	RAL
FINISH	MATTE WHITE	GLOSS WHITE	PEWTER	MATTE BLACK	GLOSS BLACK	SATIN ALUMINUM	ARCHITECTURAL BRONZE	SILVER METALLIC	PYRITE BRONZE	CUSTOM (SPECIFY)


8.	DIML	DIME
DIMMING	STANDARD 0-10V	LUTRON HI-LUME (1%)

NOTE: SOME OPTIONS MAY NOT BE COMPATIBLE WITH OTHERS. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. CONTACT TMS LIGHTING FOR UPDATED SPECIFICATIONS.


LUNA ZEST™ PENDANT




5L3W




6L3W




7L3W




7L4W



8L3W








8L4W



8L5W

LUNA ZEST™ PENDANT




DIRECT

PN (INCH)	LUMENS	WATTAGE	CANOPY DIA	WEIGHT
5L3WD	4483	48	10"	25 LBS
6L3WD	5167	55	10"	29 LBS
7L3WD	5859	63	10"	32 LBS
7L4WD	6547	70	10"	35 LBS
8L3WD	6547	70	10"	38 LBS
8L4WD	7240	77	10"	40 LBS
8L5WD	7930	85	10"	43 LBS

IES INDOOR REPORT

PHOTOMETRIC FILENAME : 941LURSP 8L5WD 35K F05.IES

POLAR GRAPH



MAXIMUM CANDELA = 2962.16 LOCATED AT HORIZONTAL ANGLE = 157.5, VERTICAL ANGLE = 5
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (157.5 - 337.5) (THROUGH MAX. CD.)
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (5) (THROUGH MAX. CD.)

LUMINAIRE LUMENS	7930
TOTAL LUMINAIRE EFFICIENCY	60%
LUMINAIRE EFFECIENCY RATING	94
TOTAL LUMINAIRE WATTS	85


DIRECT/INDIRECT

PN (INCH)	LUMENS	WATTAGE	CANOPY DIA	WEIGHT
5L3WID	8480	96	10"	25 LBS
6L3WID	9862	111	10"	29 LBS
7L3WID	11240	125	10"	32 LBS
7L4WID	12581	140	10"	35 LBS
8L3WID	12581	140	10"	38 LBS
8L4WID	14000	155	10"	40 LBS
8L5WID	15326	170	10"	43 LBS

IES INDOOR REPORT

PHOTOMETRIC FILENAME : 941LURSP 8L5WID 35K F05.IES

POLAR GRAPH



MAXIMUM CANDELA = 3017.67 LOCATED AT HORIZONTAL ANGLE = 0, VERTICAL ANGLE = 10
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (0 - 180) (THROUGH MAX. CD.)
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (10) (THROUGH MAX. CD.)

LUMINAIRE LUMENS	15326
TOTAL LUMINAIRE EFFICIENCY	58%
LUMINAIRE EFFECIENCY RATING	90
TOTAL LUMINAIRE WATTS	170

AVAILABLE FINISHES



F04
MATTE
WHITE



F05
GLOSS
WHITE



F09
PEWTER



F15
MATTE
BLACK



F16
GLOSS
BLACK



F18
SATIN
ALUMINUM



F21
ARCH
BRONZE



F31
SILVER
METALLIC



F33
PYRITE
BRONZE



RAL
CUSTOM
COLOR
(RAL #)

DISPLAYED FINISHES DIFFER BETWEEN SCREENS AS WELL AS PRINTERS AND MAY NOT ACCURATELY DEPICT COLOR.