

PROJECT: _____ TYPE: _____ QTY: _____



PRODUCT #	351TA
APPLICATION	<ul style="list-style-type: none"> • PENDANT MOUNT • INDOOR RATED
DIMENSIONS	<ul style="list-style-type: none"> • 18" OR 24" (46CM OR 61CM)
ILLUMINATION	<ul style="list-style-type: none"> • DIRECT • LED 90 CRI • 2,025 - 2,622 LUMEN RANGE
LED DRIVER	<ul style="list-style-type: none"> • CANOPY MOUNTED
DIFFUSERS	<ul style="list-style-type: none"> • HIGH EFFICIENCY ACRYLIC
MOUNTING	<ul style="list-style-type: none"> • 120" (30.5CM) BLACK OR WHITE CORD WITH AC CABLES
CONSTRUCTION	<ul style="list-style-type: none"> • ALUMINUM
FINISHES	<ul style="list-style-type: none"> • AVAILABLE IN SEVERAL TMS POWDER COATED FINISHES • CUSTOM RAL FINISHES AVAILABLE
DIMMING	<ul style="list-style-type: none"> • 0-10V (1%) DIMMING (120 - 277V) • LINE VOLTAGE/TRIAC/ELV (120V ONLY) • LUTRON HI-LUME (1%) DIMMING (120 - 277V)
WEIGHT	<ul style="list-style-type: none"> • 4.5 LBS. - 7.6 LBS.





PROJECT: _____ TYPE: _____ QTY: _____

351TA - 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11

1.	18			24						
DIAMETER	18" DIA (46CM)			24" DIA (61CM)						
2.	20LED			30LED		20LED		30LED		
ILLUMINATION	20W			30W		20W		30W		
LED (W)	2025			2622		2025		2657		
LUMENS	H			M		L		C: _____¹		
OUTPUT	100% LUMENS			75% LUMENS		50% LUMENS		[CUSTOM]% LUMENS		
4.	30K			35K		40K				
CCT	3000			3500		4000				
5.	120			277		347				
VOLTAGE	120V			277V		347V				
6.	BC			WC						
CORD	BLACK DROP CORD			WHITE DROP CORD						
7.	ADDITIONAL AND PREMIUM FINISHES AVAILABLE. SEE FINISHES CHART			F04	F05	F15	F16	F09	F31	F18
FINISH				MATTE WHITE	GLOSS WHITE	MATTE BLACK	GLOSS BLACK	PEWTER	SILVER METALLIC	SATIN ALUMINUM
8.	F04	F05	F10	F14	F15	00				
INTERIOR FINISH	MATTE WHITE	GLOSS WHITE	FIRE RED	SUNSHINE YELLOW	MATTE BLACK	SAME AS OUTSIDE				
9.	DIML		DIME			DIMV				
DIMMING	0-10V(1%) (120-277V)		LUTRON HI-LUME (1%) (120-277V)			LINE VOLTAGE/TRIAC/ELV (120V ONLY)				
10.	----			EMR						
EMERGENCY ²	NONE			REMOTE						
11.	----			ACC						
ACCESSORIES	NONE			AIRCRAFT CABLE						

1. REFLECTOR COLOR INSIDE
2. 10W AT 90 MINUTES


DIRECT LIGHTING

PN	SIZE (DIA)	ILLUMINATION	LUMENS	WATTAGE
351TA	18	20LED	2025	20
		30LED	2622	30
	24	20LED	2025	20
		30LED	2657	30

IES INDOOR REPORT
PHOTOMETRIC FILENAME : 351TA 18 20LED F05.IES

IES INDOOR REPORT
PHOTOMETRIC FILENAME : 351TA 24 30LED F05.IES


POLAR GRAPH



MAXIMUM CANDELA = 870.39 LOCATED AT HORIZONTAL ANGLE = 0, VERTICAL ANGLE = 0
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (0 - 180) (THROUGH MAX. CD.)
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (0) (THROUGH MAX. CD.)

LUMINAIRE LUMENS 2622
TOTAL LUMINAIRE EFFICIENCY 79%
LUMINAIRE EFFICACY RATING 86
TOTAL LUMINAIRE WATTS 30

POLAR GRAPH



MAXIMUM CANDELA = 858.49 LOCATED AT HORIZONTAL ANGLE = 180, VERTICAL ANGLE = 5
 # 1 - VERTICAL PLANE THROUGH HORIZONTAL ANGLES (180 - 0) (THROUGH MAX. CD.)
 # 2 - HORIZONTAL CONE THROUGH VERTICAL ANGLE (5) (THROUGH MAX. CD.)

LUMINAIRE LUMENS 2657
TOTAL LUMINAIRE EFFICIENCY 80%
LUMINAIRE EFFICACY RATING 87
TOTAL LUMINAIRE WATTS 30

STANDARD PAINT FINISHES



PREMIUM PAINT FINISHES



INTERIOR PAINT FINISHES



1: FINISHES IS APPLIED TO THE INTERIOR AND EXTERIOR OF THE FIXTURE.


2: MATERIALS ARE CONSISTENT (INTERIOR & EXTERIOR). STEMS AND CANOPIES WILL BE F16 GLOSS BLACK.

NOTE: ALL FINISHES NOT MARKED WITH NOTATION (1) ARE APPLIED TO THE EXTERIOR ONLY. THE INTERIOR WILL BE F05 GLOSS WHITE.



MATTE FINISHES AVAILABLE. CONSULT FACTORY.

FINISHES ARE SUBJECT TO AVAILABILITY AND MAY NOT BE APPLICABLE TO ALL FIXTURES OR FOR QUICKSHIP.

AIRCRAFT CABLE & CORD (CANOPY MOUNT)




D (DIA)	H (HEIGHT)	WEIGHT
18" (46CM)	4.5" (11CM)	4.5LBS
24" (61CM)	5.5" (14CM)	7.6LBS




- 2 POWER CORD (BLACK OR WHITE)
- 3 AIRCRAFT CABLE

¹ FOR LENGTHS BEYOND 120" (10FT) CONSULT FACTORY

AIRCRAFT CABLE & CORD (REMOTE MOUNT)




DROP CORD WITH AIRCRAFT CABLE




- 2 POWER CORD (BLACK OR WHITE)
- 3 AIRCRAFT CABLE

CEILING CANOPY



REMOTE DRIVER



- 4 DRIVER BOX

NOTE: J-BOX BY OTHERS