

TMSLIGHTING | 100 Years



TMSLIGHTING

- Indoor and outdoor decorative/architectural lighting
- Celebrating 100 years!
- Standard, modified, and custom designs
- Vast product selection - traditional to contemporary
- Durable quality



Over 200 product families

TMS Product Categories



Shapes & Acoustic




Spinnings




Cylinders & Drums



Sculptures




Wall-Mount



Poles & Bollards

TMS Products

- In-house manufacturing
- Custom LED boards, 90 CRI
- 0-10V dimming to 1%
- Surge suppression
- IES & Revit files



TMSLIGHTING

TMS Lead Times

- Standard: **6-8 weeks**
- Quick Ship: **10 days**
 - Over 100 product families

QS



TMSLIGHTING


Expanded Selection of Paint & Acoustic Colors!

ACOUSTIC COLORS



Common Modifications

- Specific shapes, dimensions
- Power over suspension cables
- Custom finish, metals, diffuser
- Modified light output
- Modified mounting
- Laser-cut graphics
- Trim details
- Tunable LED color
- Wet location




TMSLIGHTING

Shapes & Acoustic

TMSLIGHTING




Luna




Luna Zest


700 lumens/foot direct
550 lumens/foot indirect



Luna



Luna Brio



Luna Fuso

Luna Fuso – 24-36-48" diameters


Luna Fuso L – 83" overall length (1 size)




Luna



Luna Quadri



Luna Trio




Luna Qudo


TMSLIGHTING



Luna Acoustic Series




LUNA BRIO ACST
941LUSSCL



LUNA ZEST ACST
941LURSP



LUNA QUADRI ACST
941LURCL




LUNA BRIO ACST
941LUSSP




LUNA ZEST ACST
941LURSCL



LUNA QUADRI ACST
941LURP



LUNA ACST
971LU




LUNA QUDO ACST
941LUQP

Pendant and Ceiling-Mount



TMSLIGHTING

Luna Curva


- Minimalist profile
- Single or dual circuit
- Standard and custom configurations



TMSLIGHTING




Luna Curva




TMSLIGHTING

Luna Curva: Standard Configurations



48" diameter




72" diameter

Contact Customer Care for assistance in specifying custom configurations


Luna Curva: Standard Sections for Custom Configuration

CURVED CROSS CONFIGURATION (CC):



- LUMENS D/ID: 7833 / 14883
- WATTAGE D/ID: 85 / 162
- WEIGHT: 20 LBS


48CC



- LUMENS D/ID: 11000 / 20900
- WATTAGE D/ID: 120 / 227
- WEIGHT: 28 LBS


72CC

CURVE SECTION (R):




- LUMENS D/ID: 1208 / 2296
- WATTAGE D/ID: 13 / 25
- WEIGHT: 3 LBS

R18




- LUMENS D/ID: 2083 / 3958
- WATTAGE D/ID: 23 / 43
- WEIGHT: 5 LBS

R30



- LUMENS D/ID: 2375 / 4513
- WATTAGE D/ID: 26 / 49
- WEIGHT: 6 LBS

R36



- LUMENS D/ID: 2083 / 3958
- WATTAGE D/ID: 23 / 43
- WEIGHT: 5 LBS

R42




- LUMENS D/ID: 3083 / 5858
- WATTAGE D/ID: 34 / 64
- WEIGHT: 8 LBS

R48




- LUMENS D/ID: 3542 / 6729
- WATTAGE D/ID: 38 / 73
- WEIGHT: 9 LBS

R54




- LUMENS D/ID: 3833 / 7283
- WATTAGE D/ID: 42 / 79
- WEIGHT: 10 LBS

R60



- LUMENS D/ID: 4750 / 9025
- WATTAGE D/ID: 52 / 98
- WEIGHT: 10 LBS


R72



- LUMENS D/ID: 4333 / 8233
- WATTAGE D/ID: 47 / 89
- WEIGHT: 10 LBS


Luna Curva: Standard Sections for Custom Configuration

PLUS CONFIGURATION (P):




- LUMENS D/ID: 1042 / 1979
- WATTAGE D/ID: 11 / 22
- WEIGHT: 3 LBS

12P




- LUMENS D/ID: 2042 / 3879
- WATTAGE D/ID: 22 / 42
- WEIGHT: 5 LBS

24P



- LUMENS D/ID: 3042 / 5779
- WATTAGE D/ID: 33 / 63
- WEIGHT: 8 LBS


36P



- LUMENS D/ID: 3958 / 7521
- WATTAGE D/ID: 33 / 63
- WEIGHT: 10 LBS


48P

SHARP CORNERS (L):




- LUMENS D/ID: 1042 / 1979
- WATTAGE D/ID: 22 / 42
- WEIGHT: 3 LBS

12L



- LUMENS D/ID: 2042 / 3879
- WATTAGE D/ID: 22 / 42
- WEIGHT: 5 LBS

24L



- LUMENS D/ID: 3042 / 5779
- WATTAGE D/ID: 33 / 63
- WEIGHT: 8 LBS


36L



- LUMENS D/ID: 4000 / 7600
- WATTAGE D/ID: 43 / 83
- WEIGHT: 10 LBS


48L

SOFT CORNER CONFIGURATION (SL):




- LUMENS D/ID: 1750 / 3325
- WATTAGE D/ID: 19 / 36
- WEIGHT: 4 LBS

24SL1




- LUMENS D/ID: 2208 / 4196
- WATTAGE D/ID: 24 / 46
- WEIGHT: 6 LBS

30SL2




- LUMENS D/ID: 2750 / 5225
- WATTAGE D/ID: 30 / 57
- WEIGHT: 7 LBS

36SL1




- LUMENS D/ID: 2708 / 5146
- WATTAGE D/ID: 29 / 56
- WEIGHT: 7 LBS

36SL2



- LUMENS D/ID: 3750 / 7125
- WATTAGE D/ID: 41 / 77
- WEIGHT: 9 LBS

48SL1



- LUMENS D/ID: 3667 / 6967
- WATTAGE D/ID: 40 / 76
- WEIGHT: 9 LBS

48SL2

Luna Atom

2' – 3' – 4' diameter

3' – 4' – 5' diameter

5' – 6' – 7' diameter




Kleos Ring




TMSLIGHTING

Kleos Ring

- Minimalist profile
- 300 lm/ft both direct & indirect
- Single or dual circuit
- 48" and 72" diameters
- Custom sizes and shapes



TMSLIGHTING







Kleos B


- Minimalist profile with flare!
- Up to 300 lm/ft both direct & indirect
- Single or dual circuit
- Standard lengths: 48" & 96"
- Custom lengths

TMSLIGHTING



Onda S

- Pendant & surface mount curved sections
- Standard lengths up to 32'
- Custom lengths and shapes
- Approx 1000 lumens/foot – direct
- Approx to 700 lumens/foot - indirect




TMSLIGHTING



Onda S

TMSLIGHTING







Sesto

Sesto

- Minimalist illumination
- Standard diameters 2-7 feet
- 450 lumens/foot both direct & indirect

TMSLIGHTING




Cometa




Cometa


TMSLIGHTING



- Up to 1,000 lm/ft both direct & indirect
- Up to 20-foot standard diameters
- Excellent for large scale installations
- Wet location mod for 48" diameter



PROFILE




Orbita 0





Orbita I





Orbita O

- Standard diameters 2-7'
- Over 800 lumens/foot



Orbita I

- Standard diameters 2-7'
- Over 800 lumens/foot

TMSLIGHTING

Luminous Forms


TMSLIGHTING






Embrace

Profile:
6.375" H




- Standard diameters 2-6'
- Over 1200 lumens/foot
- Profile: 4.3" wide




Entice

Profile:
2.75" H





Fortice



Tolice

- Standard sizes 2-6'
- Over 1200 lumens/foot

TMSLIGHTING

Tolice

TMSLIGHTING




Circa

TMSLIGHTING




Circa

- Standard diameters 17-48"
- Over 160 lumens/foot
- 98% efficiency



Circa 6001
Inward-facing LEDs
70% downlight distribution




Circa 6002
Outward-facing LEDs
65% downlight distribution



Linear

TMSLIGHTING

F18 Satin Alumin





Flire

Approx. 700 lumens / foot,
both direct and indirect





Flux

Approx. 1400 lumens / foot,
both direct and indirect



- Pendant, ceiling, or recess mount
- Standard lengths up to 12'
Continuous configurations as modification




The Y Series

TMSLIGHTING





The Y Series


- Pendant or surface mount
- Customized configurations
- Specify legs 2' – 8'




Y-Connect



Y-Solo




Sculptures



TMSLIGHTING

Liebe

- 20" diameter x 14" high
- Layered glowing acrylic discs
- Internal cylinder optic with downlight
- 45 lb. weight
- 7 color choices
 - Frosted Edge: Green, White
 - Clear: Green, Amber, Red, Blue, Yellow




TMSLIGHTING

Fibonacci L




TMSLIGHTING

Fibonacci L



- Nominal 6' long x 3' wide
- Minimalist profile
- 16,800 lumens
- 15 field-adjustable spokes
- Power over suspension cables

TMSLIGHTING



TMSLIGHTING



Fibonacci V

- 20" long
- 6 V-shaped spokes; 14-38" overall
- Power over suspension cables
- Field-adjustable spokes



Fibonacci S

- 21.5" long
- 5 spokes; 24", 36" or 48" overall
- Power over suspension cables
- Field-adjustable spokes

Fibonacci Rings

TMSLIGHTING



Fibonacci R




Fibonacci C

Fibonacci Rings

- Minimalist profile
- Up to 350 lm/ft
- 24" and 48" standard diameters
- Ring and curve shapes

TMSLIGHTING



Eva

- 12", 18" and 24" diameters
- Unique sculpted aesthetic
- Choose inner and outer colors

TMSLIGHTING





Turm 1

- 16" square x 72" H
- 140W LED
- 35 lb. max



Turm 2

- 36" square x 50" H
- 182W LED
- 90 lb. max

TMSLIGHTING

Soft or Sharp?



Whurl – 30" diameter



Saphir – 25" diameter




TMSLIGHTING



Cylinders & Drums
Pendant and Wall Mount

Cylinders

Pendant, ceiling, wall-mount



Traditional



Contemporary




Decorative Cylinder Pendants




Diamante
32"H



Ezra
40"H



Torre
40"H



Tuore
48"H

Optional downlights available

Phantom Series



Phantom 9
8" diameter x 16"H



Phantom 3
8" diameter tubes
45" diameter x 53"H



Phantom 5
8" diameter
61" or 71"H
Optional downlight



Phantom 7
9" diameter
42", 54" or 66"H
Optional downlight



Strom: 55" H Indoor/Outdoor

TMSLIGHTING


Drums



Linda – 10" and 24" diameters



Serenity – 24, 30, 36 & 48" diameters



Teuer – 60" diameter x 18"H
Available in Wet Location



Serenity Ezra – 48" diameter x 7"H


Sconces

TMSLIGHTING



Buua Sconce

- Indoor or outdoor
- ADA compliant
- 6.5" wide
- 5 heights: 8, 14, 26, 38, & 50 inches
- Outer frame adds dimension



TMSLIGHTING



Espada Wall

- Indoor and outdoor rated
- 4" diameter
- 3 heights: 26", 36", 48"
- Up to 2000 lm
- Adds accent color

TMSLIGHTING

Espada Wall

26" version shown



Abrazo

- Indoor & outdoor
- 2 sizes
 - 3.5"W x 14"H
 - 6"W x 24"H
- Inner surface color adds accent
(modification)



TMSLIGHTING

Ezra Sconce


- Indoor sconce
- ADA compliant
- 8.5"W x 16.5"H
- Part of Ezra family



Pendant & ceiling
mount companions



Crescent Sconce Series



- Laser-cut face plate
- 3 heights: 26, 38, and 51"
- Diffuser options
 - Opal-white
 - Sand-blasted white
 - Faux perforated

*Consider custom laser-cut face plates,
(e.g., logos)*

Spinnings

TMSLIGHTING



Joopi

TMSLIGHTING



14-40" diameters up to 32W LED

Joopi with Louver

TMSLIGHTING



5 louver colors available

Bellatrix

TMSLIGHTING



10, 15, and 20" diameters up to 30W LED

Bellatrix with Louver

TMSLIGHTING



5 louver colors available

Siya

- 12", 24", 36" diameters
- Ceiling or pendant mount
- 2-tone option, no adder for most colors
- Architectural high bay applications
 - 15,000 lumen version in development



Medium Socket Option

- Standard option on deep-profile pendants
- Customer supplies medium-base lamp of choice
- Enables use of “vintage” LED lamps
- Reduces product cost



Calvin: 12, 18, 24"

Disco: 18, 24"



TMSLIGHTING

Many other spinning choices

Available in wet location

TMSLIGHTING



QS



QS



QS



QS



QS



QS



QS



QS



QS



QS



QS



QS



QS



QS



QS

Wall Mount Option



Shown: Primus 14" diameter



TMSLIGHTING

Sign Lights



Sign Lights



TMSLIGHTING

Poles & Bollards




TMSLIGHTING

Poles

17 styles available



AVERO 1
AV1



APOLLO AP2
AP2



AVERO 2
AV2



APOLLO ORION
APO



APOLLO AP1
AP1




RAJ 1
RJ1

TMSLIGHTING

Bollards



TESLA
TSB



SQUARE TOP BOLLARD
STB



FLAT TOP BOLLARD
FTB




ROUND TOP BOLLARD
RTB

TMSLIGHTING


ALL PRODUCTS

- Open All Reset All
- Categories**
- PENDANTS
 - CEILING
 - SCONCES
 - LINEAR
 - ACOUSTIC
 - SIGN & DISPLAY
 - WALL LUMINAIRES
 - CYLINDERS
 - BOLLARDS
 - POLES
 - MOUNTING
 - ACCESSORIES
- Distribution**
- Direct
 - Indirect-direct
 - Diffuse
 - Indirect
 - Inwards
 - Outwards
- Lumens**
- 500 35 000
- 500 9 125 17 750 26 375 35 000
- Location**
- Indoor
 - Outdoor



KLEOS™
741KL

[Quick facts](#)



LUNA ATOM™ 3
971LUAT3

[Quick facts](#)




LUNA FUSO™
871LUO2

[Quick facts](#)



LUNA FUSO™ L
871LUO3

[Quick facts](#)




LUNA™
971LU

[Quick facts](#)




LUNA QUDO™
941LUQP

[Quick facts](#)




LUNA™ TRIO
941LUTP

[Quick facts](#)




LUNA QUADRI™
941LURP

[Quick facts](#)



LUNA BRIO™
941LUSSP

[Quick facts](#)




LUNA ZEST™
941LURSP

[Quick facts](#)




SESTO™
567SE

[Quick facts](#)




COMETA™
981CO

[Quick facts](#)




TOLICE™
6325

[Quick facts](#)



EVA™
301EV

[Quick facts](#)



DALIA™
9501

[Quick facts](#)



A modern, bright interior space with a large window overlooking the ocean. The room features a wooden floor, a staircase with a metal railing, and contemporary decor including a large abstract painting, a yellow chair, and a yellow pendant light. The text "Thank You!" is centered in the image.

Thank You!

TMSLIGHTING